

THE BEST POWERTRAIN CHOICES OF ANY FULL-SIZE VAN

EXPRESS CARGO VAN 1500, 2500 AND 3500

It isn't just a van, it's how you work. And you work with the right tools for the job. That's why Express Cargo Van offers an unmatched selection of engines, ranging from the fuel-conscious Vortec 4.3L V6 with an EPA-estimated 20 MPG highway to an extensive lineup of Vortec V8 powerplants — all the way up to the Duramax 6.6L

Turbo-Diesel V8, the most powerful diesel in its class. A standard Hydra-Matic 6-speed automatic transmission on 2500 and 3500 models includes Tap-Up/Tap-Down Driver Shift Control and auto grade braking. When you're ready to get down to business, get a Chevy Express.

Express Cargo Van 1500 AWD shown in Summit White with available features.

CHEVY EXPRESS CARGO VANS

Cargo Vans offer a variety of fuel options. Choose from models powered by gasoline, diesel (with the available Duramax Turbo-Diesel V8) or compressed natural gas (CNG). The available Vortec 4.8L, 5.3L and 6.0L engines can operate on either regular unleaded gasoline, E85¹ – a blend of 85% ethanol and 15% gasoline – or a combination of both. See chevy.com for more information.

EXPRESS CARGO VAN SELECT SPECIFICATIONS

■ STANDARD □ AVAILABLE – NOT AVAILABLE

ENGINE AVAILABILITY	HP @ RPM	LB.-FT. TORQUE @ RPM	1500	1500 AWD	2500	2500 EXT	3500	3500 EXT
Vortec 4.3L V6	195 @ 4600	260 @ 2800	■	–	–	–	–	–
Vortec 4.8L FlexFuel ¹ V8	280 @ 5200	295 @ 4600	–	–	■	■	■	■
Vortec 5.3L FlexFuel ¹ V8	310 @ 5200	334 @ 4500	□	■	–	–	–	–
Vortec 6.0L FlexFuel ¹ V8	324 @ 4700	373 @ 4400	–	–	□	□	□	□
Vortec 6.0L V8 (CNG)	279 @ 4700	320 @ 4400	–	–	□	–	□	–
Duramax 6.6L Turbo-Diesel V8	260 @ 3100	525 @ 1600	–	–	□	□	□	□
TRANSMISSION/TRANSFER CASE AVAILABILITY			1500	1500 AWD	2500	2500 EXT	3500	3500 EXT
Hydra-Matic 4-speed automatic with overdrive and Tow/Haul mode			■	■	–	–	–	–
Hydra-Matic 6-speed automatic with overdrive, Tap-Up/Tap-Down Driver Shift Control, auto grade braking and Tow/Haul mode			–	–	■	■	■	■
CHASSIS FEATURES			1500	1500 AWD	2500	2500 EXT	3500	3500 EXT
Alternator: 125-amp			□ ²	■	–	–	–	–
145-amp			■ ³	–	□ ⁴	□ ⁴	□ ⁴	□ ⁴
105-amp			–	–	■	■	■	■
Dual 145-amp ⁵			–	–	□	□	□	□
Battery: 600-cca ⁶			■	■	■	■	■	■
High-capacity 770-cca ⁶			□	□	□ ⁷	□ ⁷	□ ⁷	□ ⁷
Brakes: Power, hydraulic 4-wheel ventilated disc			■	■	■	■	■	■
4-wheel antilock with Dynamic Rear Proportioning			■	■	■	■	■	■
Front rotor diameter and thickness			12.0" x 1.1"	12.0" x 1.1"	12.8" x 1.5"	12.8" x 1.5"	12.8" x 1.5"	12.8" x 1.5"
Rear rotor diameter and thickness			13.0" x 1.2"	13.0" x 1.2"	13.0" x 1.1"	13.0" x 1.1"	13.0" x 1.1"	13.0" x 1.1"
Differential: Automatic locking rear			□	□	□	□	□	□
Front Gross Axle Weight Rating			3,600 lbs.	3,700 lbs.	4,100 lbs.	4,300 lbs.	4,600 lbs.	4,600 lbs.
Rear Gross Axle Weight Rating			4,000 lbs.	4,000 lbs.	5,360 lbs.	5,360 lbs.	6,084 lbs.	6,084 lbs.



AVAILABLE ACCESS PACKAGES

These packages offer easy interior access to tools and cargo. Each includes three exterior, remote-release, side-access panels that can be opened by Remote Keyless Entry. Not available with optional driver-side 60/40 swing-out doors or sliding passenger-side door.



NEW COMPRESSED NATURAL GAS (CNG) OPTION ON EXPRESS

Express 2500 and 3500 Cargo Vans with the CNG option are available with a 3-tank or 4-tank system. The 3-tank system provides a range of up to approximately 200 miles,⁹ while the 4-tank system provides a range of up to 300 miles.⁹ GM is the only manufacturer with a fully integrated CNG option for vans and offers a 5-year/100,000-mile transferable Powertrain Limited Warranty¹⁰ on Express Cargo Vans with CNG.



PROTECTED AND CONNECTED. With OnStar^{®8} experience the safe, simple way to stay connected on the road.

OnStar is now standard on all Passenger Van models – available on Cargo Van and Commercial Cutaway – with the Directions & Connections[®] Plan for the first six months.

¹ E85 is a combination of 85% ethanol and 15% gasoline. Go to chevy.com/biofuels to see if there is an E85 fuel station near you. ² Requires available Vortec 5.3L V8 engine. ³ Standard with Vortec 4.3L V6 engine. ⁴ Standard with Duramax 6.6L Turbo-Diesel V8 engine. ⁵ Requires available Duramax 6.6L Turbo-Diesel V8 engine and air conditioning. ⁶ Cold-cranking amps. ⁷ Duramax 6.6L Turbo-Diesel V8 engine comes with standard dual 770-cca batteries. ⁸ Visit onstar.com for coverage map, details and system limitations. Services vary by model and conditions. ⁹ Estimated range based on GM testing and maximum tank capacity. Your range may be less. ¹⁰ Whichever comes first. See dealer for details.

SAFETY DRIVES US

Express 1500 Cargo Van
shown in Sheer Silver Metallic
with available features.



CHEVY EXPRESS

When you're transporting people for a living, safety is paramount. The Chevy Express Passenger Van offers standard safety features such as head-curtain side-impact air bags,¹ the StabiliTrak Electronic Stability Control System, a Tire Pressure Monitoring System (except spare tire) and antilock brakes. Enhanced Technology Glass (ETG)² for a quiet ride is standard on 12- and 15-passenger models. And you can easily tailor the Express Van to your exact needs with a choice of 8-, 12- and 15-passenger seating configurations, depending on model.

¹ Always use safety belts and the correct restraint for your child's age and size. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with a passenger air bag. See the Owner's Manual and the child safety seat instructions for more safety information. ² ETG is part of the overall occupant protection system on Passenger Vans. ETG may help keep passengers sitting next to these windows from being ejected through the glass in some, but not all, crashes. Even with this glass, safety belts must be worn at all times. For Passenger Vans, use only ETG glass approved for your vehicle for replacement when damaged. Standard with Duramax 6.6L Turbo-Diesel V8.



REAR VISION CAMERA AND REAR PARK ASSIST

An available integral rear vision camera and Rear Park Assist help you detect certain stationary objects located behind the vehicle when traveling in reverse at low speeds.

EXPRESS PASSENGER VAN 1500, 1500 AWD, 2500, 3500 AND 3500 EXT

EXPRESS PASSENGER VAN SELECT SPECIFICATIONS			■ STANDARD	□ AVAILABLE	– NOT AVAILABLE		
ENGINE AVAILABILITY	HP @ RPM	LB.-FT. TORQUE @ RPM	1500	1500 AWD	2500	3500	3500 EXT
Vortec 5.3L FlexFuel ¹ V8	310 @ 5200	334 @ 4500	■	■	–	–	–
Vortec 4.8L FlexFuel ¹ V8	280 @ 5200	295 @ 4600	–	–	■	■	■
Vortec 6.0L FlexFuel ¹ V8	324 @ 4700	373 @ 4400	–	–	□	□	□
Duramax 6.6L Turbo-Diesel V8	260 @ 3100	525 @ 1600	–	–	–	□	□
TRANSMISSION/TRANSFER CASE AVAILABILITY			1500	1500 AWD	2500	3500	3500 EXT
Hydra-Matic 4-speed automatic with overdrive and Tow/Haul mode			■	■	–	–	–
Hydra-Matic 6-speed automatic with overdrive, Tap-Up/Tap-Down Driver Shift Control, auto grade braking and Tow/Haul mode			–	–	■	■	■
CHASSIS FEATURES			1500	1500 AWD	2500	3500	3500 EXT
All-Wheel Drive (AWD)			–	■	–	–	–
Alternator: 105-amp			–	–	■	■	–
125-amp			■	■	–	–	–
145-amp			□ ²	□ ²	□ ²	□ ²	■
Brakes: Power, hydraulic 4-wheel ventilated disc			■	■	■	■	■
4-wheel antilock with Dynamic Rear Proportioning			■	■	■	■	■
Front rotor diameter and thickness			12.0" x 1.1"	12.0" x 1.1"	12.8" x 1.5"	12.8" x 1.5"	12.8" x 1.5"
Rear rotor diameter and thickness			13.0" x 1.2"	13.0" x 1.2"	13.0" x 1.1"	13.0" x 1.6"	13.0" x 1.6"
Oil-Life Monitor			■	■	■	■	■
StabiliTrak Electronic Stability Control System			■	■	■	■	■
Steering: Power			■	■	■	■	■
Front Gross Axle Weight Rating			3,600 lbs.	3,700 lbs.	4,100 lbs.	4,600 lbs.	4,600 lbs.
Rear Gross Axle Weight Rating			4,000 lbs.	4,000 lbs.	5,360 lbs.	6,084 lbs.	6,084 lbs.



MOBILITY VEHICLES

We want to make it easy and safe for people with special needs (and those who care for them) to travel. Express provides abundant interior space and accessibility that wheelchair and scooter users appreciate. Express is a practical choice for mobility and paratransit conversions. It's designed to allow easy installation of adaptive equipment and mobility accessories like wheelchair lifts, ramps, running boards and driver aids, available from independent aftermarket suppliers.³

¹ E85 is a combination of 85% ethanol and 15% gasoline. Go to chevy.com/biofuels to see if there is an E85 fuel station near you. ² Requires available rear air conditioning. Standard on LT trim level. ³ GM is not responsible for the safety or quality of design features, materials or workmanship of any alterations by such a supplier.